

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month:						Year:	
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: January							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

### RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: February						Year:	
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.



## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: March							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: April							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: May							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.



## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: June							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

### RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: July							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.



## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: August						Year:	
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

### RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: September						Year:	
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: October							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

## RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: November							Year:
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

### RECORD 12: BULK TANK TEMPERATURE LOG (FS28)

	<b>First Milking</b>	<b>Second &amp; Subsequent Milkings</b>
<b>Recommended Cooling Range</b>	Within 2 hours (½ hour preferred) 1°C - 4°C (34°F-40°F)	<ul style="list-style-type: none"> <li>blend temperature maximum 10°C (50°F)</li> <li>within 1 hour (1/2 preferred) 1°C - 4°C (34°F-40°F)</li> </ul>
<b>Normal Range identified for your bulk tank <u>after</u> milking</b>		

Month: December						Year:	
Day	Bulk Tank Temperature						Corrective Action (if necessary)
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

**Note:** Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor. This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.